

ORDINANCE NO. 9685 (NEW SERIES)

AN ORDINANCE ADDING SECTION 89.299
TO THE SAN DIEGO COUNTY CODE OF REGULATORY ORDINANCES
TO FORM AN UNDERGROUND UTILITY DISTRICT
ON PLAZA BONITA ROAD
UNDERGROUND UTILITY DISTRICT NO. 98

The Board of Supervisors of the County of San Diego ordains as follows:

Section 1. Section 89.299 is hereby added to the San Diego County Code of Regulatory Ordinances to read as follows:

Sec. 89.299 UNDERGROUND UTILITY DISTRICT NO. 98.

The following described portion of San Diego County, State of California, is hereby declared to be Underground Utility District No. 98 of the County of San Diego:

Those portions of Plaza Bonita Road and Lynwood Drive in the County of San Diego, State of California, as shown on Road Surveys 2245 and 885, respectively, copies of which are on file in the Office of the County Engineer of said County, described as follows:

1. Beginning at a point on the westerly right-of-way line of said Plaza Bonita Road, being the northerly terminus of a 453-foot radius curve, concave southwesterly, said curve being at the intersection of Plaza Bonita Road and Bonita Mesa Road located within Pleasant View Terrace and shown on Map thereof No. 2460, on file in the Office of the County Recorder of said County;
2. Thence southeasterly and southerly along said curve 284.84 feet;
3. Thence, tangent to said curve, S.16°55'11"E. 204.58 feet to the beginning of a tangent 547-foot radius curve, concave northeasterly;
4. Thence southeasterly and easterly along said curve, 525 feet, more or less, to a tangent in said right-of-way line of Road Survey 2245;
5. Thence tangent to said curve, S70°33'17"E. 1716.02 feet to the beginning of a tangent 303-foot radius curve, concave westerly;
6. Thence southerly along said curve 263.58 feet;

7. Thence southerly 180 feet, more or less, to the intersection of the southerly right-of-way line of Bonita Road, according to Road Survey No. 1299 on file in the Office of said County Engineer, with a 625-foot curve, concave easterly, in the westerly right-of-way line of said Lynwood Drive;
8. Thence southerly along said right-of-way lines of Lynwood Drive 250 feet;
9. Thence easterly at right angles to the centerline of said Lynwood Drive 55 feet to the easterly right-of-way line thereof;
10. Thence northerly along said easterly right-of-way line to the southerly right-of-way line of said Bonita Road;
11. Thence northerly to the intersection of the northerly right-of-way line of said Bonita Road with the easterly right-of-way line of said Plaza Bonita Road;
12. Thence N.11°11'02"W., along said easterly right-of-way line, 20 feet more or less to the beginning of a 397-foot radius curve, concave westerly;
13. Thence northerly and northeasterly along said curve 411.38 feet;
14. Thence N.70°33'17"W. 1398.39 feet to the beginning of a tangent 450-foot radius curve, concave northeasterly;
15. Thence northerly along said curve 424.06 feet;
16. Thence N.16°55'11"W. 207.98 feet to the beginning of a tangent 547-foot radius curve, concave southwesterly;
17. Thence northerly and northwesterly along said curve 300 feet, more or less, to the northerly terminus thereof;
18. Thence southeasterly to the Point of Beginning.

The Board of Supervisors shall by subsequent resolution set the dates by which all affected property owners shall be ready to receive underground utility service and by which the utility or utilities must remove all poles, overhead wires and associated overhead structures and make the necessary underground installation of wires and facilities for supplying electric, communication or similar or associated service within Underground Utility District No. 98 and notice of the adoption of such

subsequent resolution shall be given by the Clerk of the Board of Supervisors in the manner provided in Section 89.107(a) and (b) of this Division.

Section 2. It is the finding of the Board of Supervisors of San Diego County that the public health, safety and welfare require the removal of poles, overhead wires and associated structures, and the underground installation of wires and facilities for supplying electric, communication or similar or associated service within Underground Utility District No.98. The Board of Supervisors further finds that Underground Utility District No.98, herein created, is in the general public interest because that portion of Plaza Bonita Road, from Bonita Road to Bonita Mesa Road, within Underground Utility District No. 98 is used by the general public and carries a heavy volume of vehicular traffic and has a heavy concentration of overhead lines.

Section 3. This ordinance shall take effect and be in force thirty (30) days after the date of its passage, and before the expiration of fifteen (15) days after its passage it shall be published once, with the names of the members voting for and against the same in a newspaper of general circulation published in the County of San Diego.

PASSED, APPROVED, AND ADOPTED THIS 1ST DAY OF DECEMBER, 2004.

CCSF, 84.27, 4/77